

# **Release Notes**

Version: 2019.2

# PlanetPress。 Connect

# OL<sup>®</sup> Software

Release Notes Version 2019.2 Last Revision: 2019-12-05

Objectif Lune, Inc. 2030 Pie-IX, Suite 500 Montréal, QC, Canada, H1V 2C8

+1 (514) 875-5863 www.objectiflune.com

All trademarks displayed are the property of their respective owners.

© Objectif Lune, Inc. 1994-2019. All rights reserved. No part of this documentation may be reproduced, transmitted or distributed outside of Objectif Lune Inc. by any means whatsoever without the express written permission of Objectif Lune Inc.

Objectif Lune Inc. disclaims responsibility for any errors and omissions in this documentation and accepts no responsibility for damages arising from such inconsistencies or their further consequences of any kind. Objectif Lune Inc. reserves the right to alter the information contained in this documentation without notice.

# **Table of Contents**

Table of Contents	4
License Update Required for Upgrade to Connect 2019.x	6
Backup before Upgrading	7
Overview	8
OL Connect 2019.2 Enhancements	9
Windows Server 2019 now officially supported	9
Performance Scheduling settings simplified and improved	
Saving Connect files for different versions	
Improved PDF Signing	
Named parameters in Job Presets	
Performance Improvements	
Installer Improvements	13
Barcode Improvements	. 14
General Improvements	
Connect 2019.2 Designer Improvements	
Import resources from other Connect jobs	
Simplified use of dynamic background images	
Improved white-space behaviour	
Scripting Improvements	
Script Debugger Improvements	
General Designer Improvements	
Connect 2019.2 DataMapping Improvements	
Added option to "Stop data mapping"	
General DataMapper Improvements	
Connect 2019.2 Output Improvements	
Runtime parameters added to Job Creation	
Add customized PostScript commands to Dynamic PPD PostScript output	
Added bin selection to PCL output	
Print Output Improvements	
Email Output Improvements	
General Output Improvements	
General Print Wizard Improvements	
Workflow 2019.2 Improvements	

New email plugins	29
New Documentation Management plugin category	
New M-Files connector plugins	
New PDF to Bitmap plugin	
Updated PDF libraries	
Workflow display improvements	
CTRL-A now available	32
Passing runtime parameters to Connect plugins	33
General Workflow Improvements	34
Known Issues	

# License Update Required for Upgrade to Connect 2019.x

From OL Connect 2019.1 onwards, only customers with a current OL Care subscription will be able to update Connect.

Every Connect license will now contain an end date that represents the last day of OL Care coverage for each customer. Upgrades and updates of Connect will be freely available up until that end date, but will not be available thereafter, unless the OL Care period is extended.

This new licensing model requires anyone upgrading to 2019.2 from Connect versions pre-2019.1 to first update their OL Connect License.

A dialog box appears as part of the Connect upgrade process requesting you to do this.

PlanetPress Connect Setup
PlanetPress Connect Setup            ••• Your current product license has an older format.
Before software installation can continue, your OL Care License will need to be updated to the newest format. To this end, the installer will need to be terminated and the new license file downloaded through the Update Client. Would you like for the installer to launch the Update Client upon its termination?
<ul> <li>Yes, launch Update Client after installer termination</li> <li>No, I will manually remove the currently installed license files</li> </ul>

It is heavily recommended that you first update the OL Update Client, as version 1.2.40 of the Update Client can update your OL License to the required version, then install Connect 2019.2.

For further details on how to upgrade the Update Client and update your Connect License see the <u>Update Client 1.2.40 Upgrade Guide</u>.

If issues arise, or if you need to renew your OL Care subscription, please contact your <u>local</u> <u>Customer Care group</u>.

Page 6

# **Backup before Upgrading**

It is recommended that you always backup your existing Connect preferences before upgrading to a new version. This will enable you to revert back to the previous version, in a worst case scenario in which the new version introduces issues with your existing production processes. Whilst the probability of such a worst case scenario is remote, it cannot hurt to take some simple precautions, just in case.

For instructions on how to do so, please see how to backup an existing Connect installation.

Page 7

#### **Overview**

This document provides an overview of the new features and enhancements in PlanetPress Connect 2019.2 and PlanetPress Workflow 2019.2, as well as some important installation information.

#### Installing PlanetPress Connect 2019.2 and PlanetPress Workflow 2019.2

- PlanetPress Connect is released as a 64 Bit version only (with the exception of the Workflow, Fax, Search and Imaging modules).
- Full details on installing and licensing PlanetPress Connect and PlanetPress Workflow can be found in the online help, which can be accessed from the software and the installer.
- Note that both PlanetPress Connect and PlanetPress Workflow come with 30 day trial license by default.

#### **Connect Templates Used in Workflow**

For improved performance we recommend re-saving any Connect templates used in Workflow to the current version of Connect templates.

#### Workflow Installation requires Administrator rights

To reduce potential later problems, please note that the PlanetPress Workflow installation can only be run by users who have Administrator rights.

#### Reduced Memory Version (not recommended for production)

It is possible to install OL Connect on a machine with a minimum of 2 GB of RAM. The Connect Designer will automatically detect whether it has been installed on a machine with less than 4 GB of RAM and default to only using one internal Weaver and one internal merge engine on that system. The Server will also run using internal engines.



# **OL Connect 2019.2 Enhancements**

#### Windows Server 2019 now officially supported

As of PlanetPress Connect 2019.2, Connect is now officially supported under Windows Server 2019. (SHARED-69995)

#### Performance Scheduling settings simplified and improved

Not only have the Performance Scheduling options been greatly simplified in Connect 2019.2, but the installer now dynamically sets the values such that fresh installations should perform a whole lot better out of the box. So good, in fact, that you might never have to bother with these preferences at all now.

But in case some tweaking is still required, the number of Connect Server settings has gone down from 27 to 13, and those settings that remain have less inter-dependencies. There's now just a single Connect Designer setting, for example.

This results in a much cleaner and easier understood settings, now renamed as **"Parallel Processing**", to better reflect the reality that these settings impact upon jobs running in parallel.

Preferences		- □ >	×
ype filter text	Parallel Processing	↓ ↓ ↓	•
Clean-up Service Connections Database Connectic	Preset: Custom ~ Content Creation Output Creation		
Engines Hardware for Digita	Total Merge engines configured: 6		*
Language	See 'Engines' to configure number of engir	nes.	
Logging	Multi tasking		
Parallel Processing	Optimize per task		
	O Maximize simultaneous tasks		
	Additional engine every (records): 100		•
	Reserve engines for on demand tasks		
	Email (engines): 0	A •	,
	Web (engines):	▲ ▼	-
	Print and PDF (engines): 4	4	-
	Merge engines available for any task: 1		
	On demand task size limit (records): 1		3

Parallel Processing		⇔ - ⇔
Preset: Custom ~		
Content Creation Output Creation		
Licensed speed limit (pages per mi	nute): 10000	*
Licensed tasks limit:	8	*
Total Weaver engines configured:	8	*
See 'Engines' to configure number	of engines.	
Small job max (pages): 10		÷
Large job min (pages): 1000		÷
Reserved engines		
Small jobs (engines):	0	÷
Medium jobs (engines):	2	÷
Weaver engines available for any	task: 6	*
Target speed when running simult	aneous jobs	
Small jobs (ppm): 1250		-
Medium jobs (ppm): 1250		-
Large jobs (ppm): 1250		÷



We have also introduced Performance setting presets. Each preset caters for a different use case scenario. This vastly simplifies optimizing systems for the included scenarios.

Parallel Processing				
	Custom	$\sim$		
Conten	Default Batch Print	ation		
License	On demand Print	er minute):	10000	
License	On demand Connect Send		8	
	Capture on the Go	red:	8	
See <u>'Er</u>	Custom Ignies to configure i	number of engin	es.	

Out of the box, OL Connect dynamically matches the setup of the engines with the hardware it is running on, typically giving better performance after a fresh installation. Only users who have a mixed workload with parallel running tasks will need to go beyond choosing a preset.

Connect Server now automatically determines how many engines should participate in **Content Creation**, and can also dynamically reassign engines to other tasks, if desired. This results in better utilization of computing power, keeping all engines busy when there is enough work and better ensuring large tasks do not block other tasks.

For **Output Creation**, the licensed speed limit is automatically distributed over multiple tasks when they run simultaneously, continually adjusting as tasks start and finish. The spread of the licensed speed across the job types can be controlled by setting of pages per minute (PPM) target speeds.

Target speed when ru	nning simultaneous jobs		
Small jobs (ppm):	1250	▲ ▼	
Medium jobs (ppm):	1250	▲ ▼	
Large jobs (ppm):	1250	•	

Page 10

#### Saving Connect files for different versions

You can now save Connect templates and Datamapper configuration files in previous Connect version formats. (SHARED-71187)

C PlanetPress Connect Designer				
File	Edit Insert	Format	Context	Section
<b></b>	New			
B	Open			Ctrl+O
	Open Recent			>
	Close			>
	Save			Ctrl+S
G	Save All		Ctrl+S	Shift+S
	Save As		Ct	rl+F10
8	Save a Copy			
	Revert		C	Ctrl+F5

C Save a	а Сору			Х
Format:	Connect 2019.2 (current)			$\sim$
i This w	Connect 2019.2 (current) Connect 2019.1 Connect 2018.2 Connect 2018.1 Connect 1.8 Connect 1.7			
		 		$\sim$
?		ОК	Cancel	

#### **Improved PDF Signing**

We have overhauled OL Connect's functionality for digitally signing PDFs. Amongst other improvements, Connect now supports signing certificates on secure devices such as USB tokens, and HSM's. This enables applying digital signatures for use cases where regulations require secure storage of the certificate. (SHARED-71456)



The PDF signing improvements include:

• Support hardware security devices (USB tokens, smart cards, and Hardware Security Modules) for digitally signing a PDF. The settings for this can be found in the Preferences dialog.

Hardware for Digital Signing $\diamond \bullet \bullet \bullet \bullet \bullet$					
PKCS#11 Modules	and Tokens:				
Name Manufact	t Library Path				
MyS	C:\Users\Administrator\Doc				
Edit PKCS#	11 Module X				
Name:	MySecuritySigning				
Library Path:	C:\Users\Administrator\D 🗁				
Manufacturer:					
?	OK Cancel				

- Storing PDF signing passwords encrypted in output preset files.
- More reliable handling of time stamp server requests and responses.
- Can now add a timestamp to all types of digital signatures.
- Support for invisible signatures.
- Better compliance for digitally signed PDF/A-1b, PDF/A3-b, PDF/X-4 or PDF/VT-1 output.

#### Named parameters in Job Presets

Connect 2019.2 introduces a way for Job Presets to specify which parameters they need from Workflow (or from any other source). Accordingly, the Create Job plugin in Workflow can now display a list of expected parameters that the user can fill with dynamic values. This makes it much easier to pass specific parameters from Workflow to the Connect Server without having to stuff all kinds of information in generic JobInfos.

In future versions, we are planning to make this same method available for data mapping, content creation and output creation.



#### **Performance Improvements**

- Improved output engine and DataMapper performance when processing common PDF files. (SHARED-70290)
- Improved default performance, for most users, courtesy of simplified and improved performance settings, and better initial assignment of Engines by the Connect installer.

#### **Installer Improvements**

- Issues with license importations have been fixed. (SHARED-67735)
- The Microsoft Access Database Engine has been updated to version 2016 (ACE 16.0) as the previously used engine (2010) is scheduled for end-of-life in 2020. (SHARED-68863)
- Under certain circumstances, some Connect Setups would fail when attempting to add the "*Enhance with Connect*" association with PDF files. This would then cause the setup to appear to fail. This issue has been fixed. (SHARED-69559)



#### **Barcode Improvements**

- Added support for the **Royal Mail Mailmark 4-State C** and **Mailmark 4-State L** barcodes. (SHARED-63467/69719)
- Several barcode names have been changed to better match how they are referred to in industry. (SHARED-72618) The biggest changes are:
  - OneCode has been renamed to USPS IMb
  - IMPB has been renamed to USPS IMpb
  - Royal Mail Mailmark has been renamed to Royal Mail 2D Mailmark
  - Royal Mail 4 State (RM4SCC) has been renamed to Royal Mail 4-state (CBC)

#### **General Improvements**

• Extra information has been added to the log files to aid in diagnosing problems. This information includes the Operating System, Regional settings as well as the available system memory and Hard Disk Drive space. (SHARED-70542/70729)

Page 14

# **Connect 2019.2 Designer Improvements**

#### Import resources from other Connect jobs


Introduced an option to import resources (such as scripts and snippets) and data models from other Connect template files. This makes sharing existing Connect resources much easier. (SHARED-26597)

	📄 Media - F	aport Resources	<ul> <li>Import Resources</li> <li>Import Resources</li> <li>Import Resources</li> <li>Import Master pages</li> <li>Import Master page 1 - First and Single</li> <li>Import Master page 2</li> </ul>
C	PlanetPress Connect Design Edit Insert Format Co		<ul> <li>Contexts</li> <li>Images</li> <li>bb-letter-7.pdf</li> </ul>
	New Open Open Recent Close	Ctrl+O >	<ul> <li>Difference (problemail.jpg)</li> <li>Difference (problemail.jpg)</li> <li>Difference (problemail.jpg)</li> <li>Difference (problemail.jpg)</li> <li>Difference (problemail.jpg)</li> <li>Stylesheets</li> <li>Difference (problemail.jpg)</li> <li>Stylesheets</li> <li>Difference (problemail.jpg)</li> <li>Stylesheets</li> <li>Difference (problemail.jpg)</li> <li>Stylesheets</li> <li>Sinppets</li> <li>Sender_contact.html</li> </ul>
	Save Save All Save As Save a Copy Revert	Ctrl+S Ctrl+Shift+S Ctrl+F10 Ctrl+F5	<ul> <li>Scripts</li> <li>Data Model</li> </ul> Policy for duplicates
	Add Data Import Resources Send to Workflow	Ctrl+F12	Rename Overwrite Skip     OK Cancel

Page 15

#### Simplified use of dynamic background images

A new scripting wizard has been introduced, simplifying creation of documents with dynamic background images. These images could be stored in the template, on a local folder on disk or remotely on a web server. (SHARED-67948/71096)



#### Improved white-space behaviour

Designer adds an empty paragraph to each HTML editor, to allow easy (keyboard) editing. When this empty paragraph remains in a (non-remote) snippet, this can lead to undesired white-space in the section in which it gets included.

Designer now removes the empty paragraph from inserted HTML when the snippet is included in a section. (SHARED-68793)

**NOTE:** To prevent the removal of desired white-space lines (please do consider using styles instead), add a non-breakable space, or some other invisible code point.



#### **Scripting Improvements**

- When a master page editor is active in the Designer, the Post Pagination folder in the Designer Scripts panel is now decorated with an icon and a tooltip to clarify that post pagination scripts are not active in a master page editor. (SHARED-68543)
- Scripts can now differentiate between master pages and sections through an attribute selector. (SHARED-69811)
- Matches from cross-section queries are now highlighted when the mouse is hovering over a post pagination script. (SHARED-70156)
- Dragging and dropping a JSON or HTML snippet in the script editor automatically inserts the accompanying script commands (loadhtml() or loadjson()) and sets the path for the dropped resource.

The loadhtml() and loadjson() functions now also have improved support for code completion. (SHARED-70687)

• The script editor and debugger now automatically mark all occurrences of a selected identifier, as well as marking whereabouts within the script they occur in. (SHARED-71453)

C Edit So	ript	_		Х
Name:	Promo			
Selector:	#promo			
	Selector			
	<pre>promo = record.fields['YOGA'].toLowerCase</pre>	();		^
4 <b>pro</b> 5	<pre>[promoTxt] = loadhtml('snippets/promo-en.ht moTxt],find('@first@').text(record.fields[' sults.html(promoTxt);</pre>			
<				>
?	ОК	ancel	Apply	/

#### **Script Debugger Improvements**


- New hot keys added to the "Find" control in the Script debugger. They are Enter for "Find Next", and Shift+Enter for "Find Previous". (SHARED-69422)
- Improvements made to the information control that is displayed when hovering over a variable whilst a script is suspended. (SHARED-69861)



- The hover control in the script debugger now allows you to navigate to the children/parent of a results object. (SHARED-69949)
- Improved tooltips in variables panel. (SHARED-69986)
- Pressing **Ctrl+F** in the script debugger now starts an "*Incremental Find*" operation. (SHARED-70147)
- Fixed an issue whereby custom expressions were not always refreshed when stepping through the code. (SHARED-71276)
- Some cosmetic improvements made in the scripts overview within script debugger. (SHARED-72034)

#### **General Designer Improvements**

- To prevent issues it is no longer possible to replace absolute positioned direct child elements with inline elements in the body of Master Pages. (SHARED-68791)
- Formatting contained within a tag is no longer pretty-printed in the HTML source editor. (SHARED-69407)
- To prevent issues we no longer allow drag-drop operations in the outline tree if either the **Preview** or the **Live** tab is active. (SHARED-69640)
- We now generate a runtime error if a script tries to apply an unknown media or master name. A scripted master name with a NULL value or an empty string now resolves as "don't use a master". (SHARED-69683)
- When a standalone HTML file is opened in Designer, we now hide or disable the menu options that are not appropriate for standalone HTML files. (SHARED-69748)
- Added new html (value) function for Control Scripts that can be used to set the initial HTML of a section or master page. (SHARED-69782)
- Designer can now send more than 200 Emails in a single batch. (SHARED-70188)
- A Collapse All button has been added to the Data Model view toolbar. (SHARED-70451)



• Image file size restrictions removed. The only limit to images now is the memory available to Designer. (SHARED-70565)



- If a template is linked to a data model, code completion for record.fields and record.tables will now offer proposals even if no DataMapper config is open. (SHARED-70924)
- Can now drag remote stylesheet resources and remote javascript resources to a section or web context in order to add them to the section or context includes. (SHARED-70937)
- The **Send to Workflow** and **Package** dialogs will now only automatically add the latest job and output preset files when there is a template open with a print context. And only if those preset files where created or modified in the current session of the designer. (SHARED-71361)
- Saving a SASS partial file now auto compiles root level .scss files. (SHARED-72224)
- Modern, Roman and Script fonts are no longer available in the Designer Font ComboBox since these fonts are no longer supported. (SHARED-72391)

Page 19

# **Connect 2019.2 DataMapping Improvements**

#### Added option to "Stop data mapping"

New "*Stop data mapping*" option added to the **Action Step** to stop data processing at the specific record where the selected condition is met. As the data mapping operation then no longer needs to examine any further records, skipping those records can considerably improve performance. (SHARED-70320)

Step Properties i Messag	ges	1	- 6
ction Step			0
Description			
<ul> <li>Actions</li> </ul>			
Name	Туре		0
Action	Stop data mapping	× 9	6
	Set property	1	È.
	Run JavaScript	4	ŀ
	Skip to next record		
	Stop data mapping		

#### General DataMapper Improvements

- Improved field selection for **PDF split fields**. PDF split fields now have similar selection behaviour to simple fields. (SHARED-14120)
- **Boolean** fields can now be set as numerical values. A zero (0) equates to *false*, and any non-zero value equates to *true*. (SHARED-42848)
- Improved error messaging in the DataMapper. (SHARED-44404)
- Duplicated fields names in data files are now supported by Connect. (SHARED-49308)
- Improved performance of PDF Data Mapping when not doing any text extraction. (SHARED-67241)
- Significant improvements made to DataModel view when DataMapper is extracting a large number of data fields. (SHARED-67459)
- Improved compatibility with third-party PDF files. (SHARED-68651)

Page 20

• Added a toolbar button to send the currently opened DataMapper configuration to Workflow server. (SHARED-70561)



- Improved Tab navigation in DataMapper workflow view. (SHARED-70738)
- You can now rename DataMapper fields directly. (SHARED-70940)
- Boundary Script changes now activate the 'Save' button in DataMapper. (SHARED-72471)

Page 21

#### **Connect 2019.2 Output Improvements**

#### **Runtime parameters added to Job Creation**

Added support for runtime parameters in Job Creation, so we can pass information from the actual runtime environment to compare against in conditions, or to use with external sorting programs. (SHARED-70085)

C Print Wizard				
Print Options				
Use this page to se	elect the main print options			
Printer				
Model:	Generic PDF			
Output Options				
Output Local				
Output Type:	Prompt for file name	<ul> <li>Directory</li> </ul>	O LPR Queue	O Windows Printer
Production Optio	ns			
Booklet Impo	sition		Impositio	on
Add Inserter r	narks			
Runtime Para	neters		Override	Finishing options
Print virtual st	ationery		_	2 1

The runtime parameters will be available for use in Job Filtering and Finishing.

C Print Wizard	_		×
Data Filtering Options			
Use this page to configure the data filtering for the generated output			
Data Selection Filter			
Any of the following		~ 🛨	
Field     ** STATE     is equal to     ** params.Victoria	~	- +	
If Field     #     STATE     is equal to     #     params.VIQ	*	- +	



They can also be used as Meta Data fields, or in External Sorting.

C Print Wizard					_		×
Sorting Options							
😢 Must not be blank							
External Sort Settin	) Use standard sort ( gs	Use external sort					
Command:			1				
Timeout:	00	-			Insert input file pla Insert output file pl		r
Separator:	1		🗌 🐻 Victoria		Parameters	accinorac	>
Quote character:			🔲 🕞 VIC	-			

The fields can be alphanumeric, numeric, Boolean, or even dates.

											_
Parameter	Туре	Default Value									
Victoria	String	Victoria									
VIC	String	VIC									
ExpiryDate	Date	2020-11-25									
		C Edit Runtim	e Parar	neter			$\times$	<			
		Parameter:	Expin	/Date							
		Туре:	Date				~				
		Default Value:	25/11	/20			8				
		?	C		-	-			×		
			•		Nove	mber,	2020		-		
			Sun	Mon	Tue	Wed	Thu	Fri	Sat		
			25	26	27	28	29	30	31		
			1	2	3	4	5	6	7		
			8	9	10	11	12	13	14		
			15	16 23	17 24	18	19 26	20 27	21 28		
			22	30	24	23	3	4	5		


You will also be able to pass runtime parameters to the Connect Workflow **Job Creation** and **All In One** plugins.



#### Add customized PostScript commands to Dynamic PPD

#### **PostScript output**

Added support for customized PostScript commands in Dynamic PPD PostScript printer output. The commands can include metadata values, so dynamic runtime information can be incorporated within the commands. (SHARED-72170)



#### Added bin selection to PCL output

Added support for bin selection in certain PCL printer definitions that support bins. (SHARED-71560)

Media - F     Feed from Tray 1 (position 4)       Media - M     Feed from Tray 2 (position 1)       Media - M     Feed from Tray 2 (position 1)       Upput Destination     Image: Compare the second	nter Settings							
Media - F Feed from Tray 1 (position 4) Media - F Feed from Tray 2 (position 1) Feed from Tray 2 (position 1) Dutput Destination Trigger Destination Rules Page Din-1 (position 1) true Document Din-1 (position 1) true Default output destination: Use printer default	e this page to customize t	he printer o	output settings					
Media - F Media - M Media	ray Mapping							
Media - F     Feed from fray 1 (position 4)       Media - M     Feed from Tray 2 (position 1)       Dutput Destination     Trigger       Trigger     Destination (position 1)       Document     bin-1 (position 1)       Document     bin-1 (position 1)       Default output destination:     Use printer default	Media			Tray				
Media - M     Peed from Iray 2 (position 1)       Dutput Destination     Image: Page       Din-1 (position 1)     true       Document     bin-1 (position 1)       true     Image: Page       Default output destination:     Use printer default								- <del>X</del>
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true	Media - M			Feed from Tray 2	(positi	on 1)		
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								_
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								-
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								-
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								-
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								
Trigger     Destination     Rules       Page     bin-1 (position 1)     true       Document     bin-1 (position 1)     true								
Page bin-1 (position 1) true 3 Document bin-1 (position 1) true 3 Default output destination: Use printer default V	utout Destination							
Document bin-1 (position 1) true			Destination		Dute	_		
Default output destination: Use printer default	Trigger					5		
Default output destination: Use printer default	Trigger Page		bin-1 (position 1)		true	5		<b>×</b> ∲
	Trigger Page		bin-1 (position 1)		true	5		× 余
	Trigger Page		bin-1 (position 1)		true	5		<b>×</b> ∲
	Trigger Page		bin-1 (position 1)		true	\$		× 余
	Trigger Page		bin-1 (position 1)		true	5		× 余
	Trigger Page		bin-1 (position 1)		true	5		× 余
	Trigger Page		bin-1 (position 1)		true	'S		× 余
	Trigger Page		bin-1 (position 1)		true	'S		× 余
bin-1 (position 1)	Trigger Page Document	: Use print	bin-1 (position 1) bin-1 (position 1)	1	true	:5		× 余
bin-2 (position 2) Use printer default Next > Print Cancel	Trigger Page Document	bin-1 (po	bin-1 (position 1) bin-1 (position 1) er default ~		true	\$		× 余



#### **Print Output Improvements**

- When using a PDF file with a specific combination of page elements as background in the template ("*use PDF from datamapper input as section background*") and creating PostScript output, it was possible that some page elements could get positioned incorrectly. This has been fixed. (SHARED-68080)
- Fixed potential PDF/A or PDF/X compliance issue when outputting multiple channels or both variants simultaneously (as some custom OL Enhance workflows do). (SHARED-69642)
- PostScript: The output engine can now write tiling and shading patterns directly instead of first rasterizing them and writing them out as images. (SHARED-65125)
- PostScript (Dynamic PPD PostScript): Enable PCL Printer Job Language (PJL) comments to be selected and added to Postscript output as Job Control Language (JCL) blocks, if supported by the printer's PPD file. (SHARED-71504)

C Print Wizard		
Dynamic PPD m		contion assigned
Kule should hav	e at least one printer	roption assigned
PPD Info		
Manufacturer=	KONICA MINOLTA	^
ModelName=	ONICA MINOLTA Ac	curioPress 6136 🗸
PPD file name:	KO6136U-contains-	JCL.ppd 😂
Rules		
Name	Trigger	
V JCL	File	0
Element1		
Prolog	File	
Setup	File	×
✓ Media/Trays	Sheet	~

Page 25

• PPML: Tray options now available for PPML print output. (SHARED-69314)

C Print Wizard			
PPML Options			
Use this page to custo	omize the ppd settir	ngs	
PPML Options			
PPML Options PPML Tray Options:	SetPageDevice		$\sim$
	SetPageDevice None SetPageDevice		~
PPML Tray Options:	None	es	~
PPML Tray Options: Media	None SetPageDevice	es Unspecified	~

- Reduced memory usage requirements for large impositioned jobs. (SHARED-71177)
- Modern, Roman and Script fonts have been removed from the additional content font combo boxes since these fonts are no longer supported. (SHARED-72464)
- Ensured that PDF pass through is not active when the output PDF type is not standard PDF. (SHARED-72817)



#### **Email Output Improvements**

#### **New Workflow Email plugins**

Several new email related **Workflow plugins** have been created to improve the email sending performance by simplifying the integration with Email Service Providers (ESP). See "New email plugins" on page 29 section for further details.

#### **General Email improvements**

- Improved the scripting API for email headers. Connect now supports multiple headers with the same key. (SHARED-69927)
- Introduced the **Append plain-text copy of the HTML** option to email sections, to have a plain-text version of the HTML added to each email that is sent. This option is switched on by default for new templates. (SHARED-48902)

C Email Se	ection Pro	perties		>
Properties	Includes	Attachmen	its	
Section				
Name:	Content			
Meta Inf	ormation			
Туре		Value	Content	±
				*
<				>
🗹 Appen	d plain-te	ext copy of th	e HTML	
?			ОК	Cancel



#### **General Output Improvements**

- Improved error handling when loading a template during output generation. (SHARED-67730)
- TrueType "OS/2" tables in embedded fonts are now passed through *as-is*, and the output engine will no longer abort if it does not recognize them (for example, a newer version of the format). (SHARED-69378)
- Fixed a problem with simulating font style (generating styled fonts). (SHARED-70471)

#### **General Print Wizard Improvements**

- Added support for processing tilde ('~') escape sequences in Additional Content barcodes. (SHARED-69388)
- Fixed handling of line end delimiters in Unix generated PPD files. (SHARED-70344)
- The Additional Content "EAN 128" barcode entry has been renamed to the international standard of "GS1-128". (SHARED-70798)
- Importation of PPDs improved. Some parsing issues were fixed, and the range of PPDs supported increased. (SHARED-71358/71450)

Page 28

### Workflow 2019.2 Improvements

#### New email plugins


Several new email related **Workflow plugins** have been created to improve the email sending performance by simplifying integration with external Email Service Providers (ESP). The original Create Email Content renders email messages and sends these over SMTP in a single run. This limits use to the slower SMTP protocol, which becomes a bottleneck when larger batches are processed.

The new **Render Email Content** plugin for Workflow prepares messages within the Connect File Store. This allows ESP specific plugins to later pickup the content and send it via their faster Web APIs. Sending email via ESPs also brings the advantage of open rate tracking, click through tracking and bounce handling all being presented in online dashboards.

#### Note

The **Render Email Content** plugin works only under PlanetPress Connect Workflows that are licensed for sending emails. It is not available for users with *Demo*, *Test* or *Reseller* licenses.

The associated **Download EML Messages** plugin retrieves the message body and attachments created by the *Render Email Content* plugin.





With Connect 2019.2 we also introduce connectors for the Email Service Providers **SendGrid** and **MailJet**, to facilitate fast bulk processing. (SHARED-71120/71123)



These new connector plugins can be used to send pre-rendered email content (created by the new *Render Email Content* plugin) to either **SendGrid** or **MailJet** for bulk processing. The plugins will be made available via <a href="http://help.objectiflune.com">http://help.objectiflune.com</a>.

#### New Documentation Management plugin category

A new **Documentation Management** category has been added to the Plugin Bar. This category is for plugins that integrate with Document Services/ECM/Document Management systems. Such as the **SharePoint** plugins (which have moved from the Connectors category) and the **Therefore** plugin. (SHARED-72133)



#### **New M-Files connector plugins**

New **M-File Upload** and **Download** plugins are being released in conjunction with Workflow 2019.2. (SHARED-71971)

These connectors can be used with both on-premise versions of M-Files, as well as with M-Files instances in the cloud. This makes it a lot easier to use M-Files in such use cases as:

Page 30

- Proof Of Delivery storing the delivery note in M-Files,
- Accounts Receivable archiving invoices, and retrieving archived delivery notes to combine those with outgoing invoices.



These stand alone plugins will be available from <a href="http://help.objectiflune.com/en/#ppc-plugins">http://help.objectiflune.com/en/#ppc-plugins</a>.

#### New PDF to Bitmap plugin

A new **PDF to Bitmap** plugin provides functionality for converting page(s) of a PDF to either JPG or PNG image format. (SHARED-71217)




#### **Updated PDF libraries**

Workflow's PDF libraries have been updated to the latest available version, enabling the processing of larger PDF files while significantly improving overall stability, memory management and performance when merging documents or importing pages. The update fixes a number of issues reported by customers.



#### Workflow display improvements

Process branches and conditions can now be collapsed and expanded to allow a better overall view. (SHARED-63520)



#### CTRL-A now available

The CTRL-A (i.e. Select All) keyboard shortcut has been implemented in all edit/memo controls in Workflow, making it easier to select the entire contents of a field. (SHARED-47742)



#### Passing runtime parameters to Connect plugins

It is now possible to pass runtime parameters to the **All In One** plugin's Job Creation panel as well as to the **Job Creation** plugin itself. (SHARED-70097)

Job Preset File          File Name       Document Name         Default       Default         %o       *Dynamic name         Runtime Parameter       Value         myEndDate	Create Job Create Job based on a given eneral OL Connect Proxy On	
Default     Default       %o     *Dynamic name         Runtime Parameter     Value	lob Preset File	
%o     *Dynamic name       Runtime Parameter     Value		
Runtime Parameter Value		
myEndDate		
	Runtime Parameter	Value



#### **General Workflow Improvements**

- Create Email Content now supports adding both the sender name and sender email address by expressing the email/name combination as "My Name <myemail@myhost.com>" in the Sender Address field. (SHARED-69901)
- Improved error reporting, as the actual error information is now included as part of the Error process.

Whenever an error occurs in a plugin in Debug mode, the error message now appears in the Debug Information panel of the UI under the error.errorlog variable. (SHARED-53165)

- Added a new script function to the Watch service, for unpackaging resources synchronously to Workflow's documents folder. The new function is "Watch.InstallResource("path")". (SHARED-59908)
- Execute Data Mapping task now returns records in JSON format, to simplify determining boundary information. The output is identical to that provided by the **Retrieve Items** task. (SHARED-68256)
- The jobfile output of a Create Web output plugin is now .html by default, rather than .dat. (SHARED-69507)
- **XMLSplitter** plugin now displays the complete path of the selection instead of just the node name. (SHARED-69766)
- A new getPreferences () function has been added. It returns a JSON string containing Workflow preferences when used in Script/Custom tasks. (SHARED-70253)
- New option in Preferences/Default Config to set a Default Output task for Conditions and Branches. (SHARED-70377)
- When inserting the **NodeJS Server Input** task to a process, the initial value of the Form Data Encoding is now set to UTF-8. (SHARED-70529)
- A Wait for completion checkbox has been added to the All in One and Create Print
  Output tasks. The option will not be selected by default, unless the Output Management
  option is set to Through Workflow, in which case the option is ticked but disabled.
  (SHARED-70642)
- Minor bug fixes. (SHARED-69629/69631/69690)

Page 34

#### **Known Issues**

As of PlanetPress Connect 2018.1 the Known Issues have moved from the Release Notes to the Connect online Help.

They can be found <u>here</u>.

