PRINTSHOP MAIL SUITE

PrintShop Mail
Barcode Plug-in Release Notes

Title	PrintShop Mail - Barcode Plug-in Release Notes
Revision	2010/03/22

Table of contents

1 Requirements

Requirements

- This version of the Barcode plug-in is compatible with PrintShop Mail version 6.1 for Windows, but version 7 is recommended. It is not supported by older versions of PrintShop Mail.
- The plug-in requires a hardware dongle with an OL Care date of at least June 2009; otherwise the print output will include a watermark.

2 Overview

What's new in 2.0.5

[Released: March 2010]

1. New constraints for USPS Postnet.

- Bar height is now fixed at 0.125 inch.
- Recommended module width is now fixed at 0.508 mm (0.020 inch).
- Space between bars is now 1.25 times larger than the bar width.

2. Improved support for delivery point barcodes.

- USPS Postnet: The Data and Encoding properties have been replaced by properties called ZIP and Address. When ZIP represents a ZIP+4 code consisting of 9 digits, the Address property can be used to form a delivery point barcode. This works similar to the POSTNET function in PSM.

3. Small change for all barcode types:

- Default font size for human readable text is now set to 8pt instead of 12pt.

What's new in 2.0.3

[Released: January 2010]

- USPS Postnet 5, 6, 9, 10, 11 and 12 variants have been replaced by one barcode type called USPS Postnet. The plug-in will use the appropriate Postnet variant based on the input data length.
- Any hyphens will automatically be stripped from the USPS Postnet input data.
- The recommended module width of USPS Postnet has been set to the range between 0.381 and 0.635 mm.
- Japanese Postal now accepts Japanese addresses as input data. The plug-in will extract the relevant information.
- The plug-in now exposes a property called Font Size that controls the size of the human readable text.
- Korean translation.
- [PrintShop Mail 7 only] The expression of a barcode plug-in object can now be viewed and edited through the Variables pane.
- [PrintShop Mail 7 only] Double-clicking a barcode plug-in object will now edit the associated expression.
- [PrintShop Mail 7 only] Snap Frame to Content is supported and set to Yes by default.

What's new in 2.0.2

[Released: June 2009]

Added a number of new barcode types:

Linear Barcodes (1D)

Codabar
Code 11
Code 2 of 5, Code 25
Code 3 of 9, Code 39
Code 93
Code 128
EAN 8 (JAN, IAN)
EAN 13
EAN 14
EAN 128
Flattermarken
GS1-128, UCC/EAN-128, UCC-128
GS1 DataBar, RSS
ISBN
LOGMARS
MSI
NVE 18
Pharmacode
PLANET
Plessey
PZN
SSCC-18
Telepen
UPC-A, UPC 12
UPC-E
UPC Shipping Container Code, EAN/UCC-14, SCC-14, ITF-14

Postal Barcodes (1D)

Australian Post
German Parcel Service Label Code
Deutsche Post Identcode
Deutsche Post Leitcode
Japanese Postal
Italian Postal
KIX (Dutch)
Korean Postal Authority
RoyalMail 4State (RM4SCC)
USPS Intelligent Mail Barcode, OneCode, 4-State Customer Barcode
USPS Postnet

Two Dimensional Barcodes (2D)

Aztec Code
Codablock-F, Stacked Code 128
Data Matrix
GS1 DataBar Stacked, RSS-14 Stacked
MaxiCode
MicroPDF417
PDF417
QR-Code

3 Known issues

Known issues

-None-

Reporting issues

Your reports of any unexpected behavior are highly appreciated; please refer the online Help (press F1 in PrintShop Mail) for contact info.